

HAMILTON-WHITE COMPOSTING TECHNOLOGIES

A Comprehensive Vision for Transforming Livestock Waste Infrastructure

INTRODUCTION

Hamilton-White Composting Technologies (HWC) was founded to address one of the most persistent infrastructure challenges in modern livestock agriculture: the long-term storage and management of high-liquid manure and effluent.

Conventional manure lagoons rely on open, anaerobic storage. While they have become commonplace across much of livestock agriculture, they can create significant operational, environmental, odor, biosecurity, and long-term liability concerns. Those challenges become increasingly important as livestock operations grow in scale, neighboring communities expand, and environmental and regulatory expectations continue to evolve.

HWC takes a fundamentally different approach.

Rather than storing livestock waste for extended periods, the HWC system is being designed to process high-liquid manure and effluent through controlled aerobic, thermophilic biological treatment as part of a livestock facility's ongoing waste-management operation.

The objective is not simply to improve lagoon management. HWC is being developed as permanent agricultural infrastructure designed to replace dependence on conventional lagoon-based storage while converting livestock waste into stable, humus-rich compost.

HWC is not starting from a laboratory-only concept.

Its current commercialization program builds upon technology that was patented, constructed, operated, and tested under real-world conditions. The company is combining that technical history with modern engineering, automation, process controls, and updated system architecture designed specifically for today's livestock industry.

FOUNDATIONAL RESEARCH AND PATENT LINEAGE

The technological foundation of HWC traces back more than three decades.

Early research explored the practical limits of aerobic processing for high-moisture organic waste and demonstrated that successful treatment required far more than passive composting. High-liquid waste demanded active mechanical mixing, controlled aeration, sustained biological activity, and management of the operating environment.

That work ultimately contributed to U.S. Patent No. 5,405,780, issued in 1995, describing a mechanically agitated aerobic composting reactor.

Systems based upon that technological foundation were subsequently constructed and operated. The work demonstrated sustained thermophilic aerobic processing under real-world conditions and established the technical basis upon which today's HWC development program is being built.

The historical development effort also included work involving livestock waste, high-moisture material, pathogen reduction, odor control, mortality processing, and other difficult organic-waste streams.

Testing associated with hog waste demonstrated destruction of the PRRS virus under the specific operating conditions tested, an important part of the technology's historical biosecurity record.

Today's HWC system should not be viewed as a simple reproduction of the 1995 reactor.

It represents the next generation of the technology: updated for modern livestock-production scale, improved mechanical design, modern manufacturing methods, PLC-based control, instrumentation, operational monitoring, and commercial deployment.

The earlier work established the foundation.

The current program is intended to engineer that historically demonstrated foundation into a repeatable, scalable commercial system.

THE HWC TECHNOLOGY PLATFORM

At the center of HWC's approach is controlled aerobic, thermophilic processing intended to accept the high-liquid manure and effluent streams generated by modern livestock operations.

Unlike systems that require extensive solids separation before biological processing, HWC is being designed to accept high-liquid waste directly from livestock facilities and process that material within the HWC system.

The contemplated commercial configuration incorporates a series of rectangular reactors housed within an enclosed operating building.

The reactors are open at the top within that controlled building environment, allowing surrounding facility systems to participate in management of air movement, odor, moisture, and operating conditions.

Mechanical mixing is intended to be provided by vertical auger systems operating within the reactors. The augers would repeatedly move through the material from one end of the reactor to the other,

maintaining mixing and helping sustain the aerobic biological conditions required by the process.

Modern PLC-based monitoring and process controls are intended to provide operators with the ability to supervise key system functions, document operating performance, and support the consistency necessary for commercial livestock applications.

The HWC platform is being engineered around several defining characteristics:

- Direct processing of high-liquid manure and effluent without requiring extensive solids separation or pretreatment
- Controlled aerobic and thermophilic biological processing
- Designed to eliminate dependence on conventional manure lagoons within the HWC waste-management process
- Mechanical mixing designed to maintain uniform processing conditions
- Planned integrated capability to process livestock mortalities, subject to engineering and testing
- Designed to produce stable, humus-rich compost
- Designed to avoid the need for a separate compost-finishing stage within the HWC process
- PLC-based monitoring and process control
- Modular reactor and facility configurations adaptable to different livestock operations and waste volumes
- Engineering intended for repeatable manufacture, long service life, and commercial-scale deployment

This combination is what HWC believes distinguishes its approach from conventional composting equipment and from technologies intended primarily to modify or supplement existing lagoon systems.

HWC is being developed as permanent agricultural infrastructure.

APPLICATIONS ACROSS LIVESTOCK AGRICULTURE

DAIRY OPERATIONS

Modern dairy operations can generate substantial volumes of liquid manure, wash water, and associated effluent. Conventional systems frequently rely on large lagoons or other long-term storage structures until the material can be land-applied.

That approach can create operational challenges involving storage capacity, odor, nutrient management, application timing, runoff exposure, and long-term environmental liability.

HWC is designed to provide a different pathway.

High-liquid dairy manure and effluent are intended to be directed into the HWC process as part of the facility's ongoing waste-management operation rather than accumulated for extended anaerobic storage.

Potential benefits for dairy producers may include:

- Reduced dependence on conventional long-term lagoon storage
- Direct processing of high-liquid manure and wash-water streams
- Reduced exposure associated with long-term open storage
- Greater predictability in waste-management operations
- Controlled aerobic treatment rather than prolonged anaerobic decomposition

- Production of stable compost suitable for beneficial agricultural use
- Potential improvement in long-term nutrient-management flexibility
- Reduced odor potential compared with prolonged storage of untreated manure
- Improved ability to document waste-processing performance

For the producer, the fundamental change is straightforward:

Waste moves from being primarily a storage problem to becoming a processing operation.

HOG OPERATIONS

Hog production presents particularly significant waste-management and biosecurity challenges.

Large volumes of high-liquid manure are commonly routed to lagoons or similar storage systems. In addition to odor and environmental concerns, stored manure can create exposure pathways involving insects, wildlife, equipment movement, and other potential disease vectors.

HWC is designed to replace prolonged lagoon storage with controlled aerobic processing.

The modern system is also being designed to provide an important additional capability: livestock mortalities could potentially be processed within the same integrated waste-management system if engineering and testing validate that capability.

This could reduce dependence on separate mortality-handling methods such as rendering, burial, extended storage, or off-site transportation.

Historical HWC testing involving thermophilic processing demonstrated destruction of the PRRS virus under the operating conditions tested.

HWC does not represent this as a guarantee against livestock disease. The earlier results instead provide an important foundation for evaluating potential biosecurity benefits of the modern system through future testing and field validation.

Potential benefits for hog producers may include:

- Direct processing of high-liquid manure and effluent
- Designed elimination of conventional lagoon storage within the HWC process
- Reduced prolonged exposure to stored manure
- Planned integrated mortality processing, subject to engineering validation
- Reduced reliance on external mortality-handling logistics
- Controlled thermophilic conditions intended to support pathogen reduction
- Improved operational resilience during disease or transportation disruptions
- A single integrated infrastructure approach to manure and mortality management

For large hog operations, this combination of waste processing and potential biosecurity capability may be particularly significant.

CATTLE AND FEEDLOT OPERATIONS

Cattle operations face a different but related set of manure-management challenges.

Large feedlots accumulate substantial amounts of manure and organic material, creating ongoing requirements for handling, removal, storage, surface maintenance, nutrient management, and disposal or beneficial reuse.

HWC is being designed to convert manure and other suitable organic material into stable, humus-rich compost that could potentially be reused within the agricultural operation or directed into outside markets.

Potential feedlot applications may include use of compost as a soil-building or surface-conditioning material where appropriate, reducing dependence on continually importing or disturbing outside soil resources.

Potential benefits may include:

- Controlled processing of manure and high-moisture organic waste
- Reduced dependence on conventional storage and disposal practices
- Production of stable compost suitable for beneficial reuse
- Potential internal reuse within livestock operations
- Potential reduction in hauling and raw-manure handling
- Closed-loop nutrient and organic-material management
- Potential external markets for surplus compost

The cattle sector therefore offers HWC an opportunity not only to improve waste management, but also to demonstrate how the resulting material could become part of a more circular agricultural system.

COMPOST AS A VALUE-ADDED RESOURCE

The output from the HWC process is not intended merely to be a less troublesome waste product.

Controlled aerobic and thermophilic processing is intended to produce stabilized, humus-rich compost that could potentially be used in agriculture, soil restoration, land management, turf applications, and other beneficial markets.

Earlier turf-related work involving compost produced from livestock effluent indicated the potential for meaningful reductions in water and chemical requirements while maintaining or improving soil and turf performance.

Those historical results provide a promising basis for further commercial testing.

HWC intends to document compost characteristics and application performance as part of the modern field-validation program so that future performance claims can be supported by current data.

Potential markets and beneficial uses may include:

- On-farm soil amendment
- Feedlot and agricultural land-management applications
- Turf and golf-course applications
- Landscape and soil-restoration markets
- Agricultural nutrient and organic-matter management
- Selected commercial compost markets

HWC does not depend upon compost sales to justify the technology.

The primary value proposition begins with improving the way livestock waste itself is managed.

Where compost can subsequently offset agricultural inputs, improve soil performance, replace purchased materials, or generate outside revenue, that value represents an additional potential economic benefit.

CURRENT DEVELOPMENT PROGRAM

HWC's immediate commercialization program is intentionally disciplined.

The company is focused on completing the next major stage of professional engineering and commercial validation.

The current development program is intended to support:

- Completion of professional engineering and system design
- Review and protection of next-generation intellectual property
- Fabrication of a transportable, full-scale operational demonstration reactor
- Integration of modern PLC-based monitoring and process-control systems
- Initial operation and system refinement
- Field testing under real-world livestock conditions
- Third-party performance documentation and validation where appropriate
- Commercial engagement with prospective customers and strategic partners

The demonstration reactor is intended to provide a physical, operational example of the modern HWC configuration.

It is being designed with transportability in mind so that, following initial commissioning and evaluation, it could be operated at livestock facilities under actual field conditions.

This phase is not intended merely to establish whether aerobic composting works.

Its purpose is to complete the transition from HWC's historically demonstrated technological foundation to a modern commercial system and generate the engineering, operating, manufacturing, and cost data necessary for responsible commercialization.

INITIAL COMMERCIAL DEPLOYMENT

Following successful demonstration-reactor operation, field validation, and final engineering refinement, HWC intends to move toward initial commercial deployment.

The first commercial installations would serve several functions simultaneously:

- Operating livestock waste-management systems
- Customer reference facilities
- Regulatory and industry demonstration sites
- Sources of long-term operating data
- Training environments
- Platforms for continued engineering refinement
- Foundations for subsequent standardized commercial production

Initial deployments would allow HWC to document installation requirements, operating costs, maintenance requirements, performance consistency, customer economics, and other factors necessary for responsible scale-up.

Commercial growth would therefore be driven by demonstrated performance and customer demand rather than premature mass production.

THE NEBRASKA CAMPUS

HWC's longer-term vision includes the possibility of developing a major manufacturing, engineering, research, training, storage, and logistics campus in Nebraska.

Nebraska provides a natural strategic location because of its agricultural base, central geography, workforce potential, transportation infrastructure, and proximity to major livestock-producing regions.

The campus is envisioned as far more than a factory.

It could ultimately serve as the operational center of a national and potentially international HWC deployment network.

MANUFACTURING AND ASSEMBLY

Centralized fabrication and assembly could support standardized production, quality control, testing, and repeatable system construction.

ENGINEERING AND RESEARCH

Dedicated engineering and research facilities could allow HWC to continue improving mechanical systems, controls, process performance, materials, operating efficiency, and configurations designed for different livestock sectors and climates.

TESTING AND DEMONSTRATION

Operational demonstration facilities could allow producers, regulators, engineers, researchers, strategic partners, and international visitors to observe HWC technology in a working environment.

TRAINING

HWC anticipates the potential development of operator and technician training programs covering system operation, maintenance, process control, safety, troubleshooting, and commissioning.

LOGISTICS

Centralized logistics could support shipment of equipment, replacement components, service materials, and other system requirements throughout the United States and eventually into international markets.

Rail access may become an important site-selection consideration because of the potential movement of steel, fabricated components, large equipment, agricultural materials, and completed systems.

Highway and airport access would complement rail transportation and support customer visits, technical teams, installation crews, and international partners.

WORKFORCE DEVELOPMENT

At scale, a future Nebraska campus could support employment across:

- Skilled trades
- Fabrication and welding
- Mechanical and electrical assembly
- Controls and automation
- Engineering
- Research
- Logistics
- Field service
- Training
- Administration
- Customer support

The long-term objective is to make Nebraska not merely the location where HWC equipment is built, but the center of the knowledge, manufacturing, training, and service infrastructure supporting the technology.

The engineering and demonstration work comes first.

Development of a larger Nebraska campus would occur only as successful commercialization and customer demand justify that expansion.

COMMERCIALIZATION AND SCALE

Hamilton-White Composting Technologies is being developed as an infrastructure technology company rather than simply an equipment vendor.

That distinction matters.

Commercial livestock-waste infrastructure requires engineering, manufacturing, installation, long-term service, customer support, technical documentation, regulatory engagement, and a supply chain capable of supporting repeatable deployment.

Following successful demonstration-system validation and evidence of meaningful customer demand, HWC intends to develop the organizational, manufacturing, and service capabilities necessary to support responsible commercial growth.

The company's structure, manufacturing strategy, operating capabilities, and future capitalization will evolve as engineering milestones are achieved, commercial demand becomes measurable, and the requirements of large-scale deployment become better defined.

The guiding principle is straightforward:

Growth should follow demonstrated performance and customer demand rather than precede them.

INTELLECTUAL PROPERTY STRATEGY

HWC's intellectual-property position begins with the technical history established through the original patented system.

The modern commercial program is intended to build upon that foundation through a combination of:

- New patent protection where appropriate
- Proprietary engineering
- Process-control knowledge
- Manufacturing know-how
- Operating procedures
- Application-specific expertise
- Trade-secret protection

The objective is not merely to protect a single reactor drawing.

HWC intends to develop a broader proprietary technology and operating platform that becomes increasingly valuable as engineering, field performance, manufacturing experience, control data, and customer applications accumulate.

For that reason, detailed engineering and process information will be disclosed selectively and under appropriate confidentiality protections as commercial and strategic relationships develop.

ENVIRONMENTAL PERFORMANCE AND CARBON OPPORTUNITY

Conventional manure lagoons operate under anaerobic conditions that can generate substantial greenhouse-gas emissions, particularly methane.

HWC changes that biological environment by replacing prolonged anaerobic storage with controlled aerobic processing.

By doing so, the system is designed to substantially reduce the methane-generating conditions associated with long-term anaerobic storage.

Potential environmental benefits may include:

- Reduced dependence on long-term open manure storage
- Potential reduction in leakage and runoff exposure associated with long-term lagoon storage
- Potential for significant odor reduction
- Controlled thermophilic conditions intended to support pathogen reduction
- Stabilization of organic material and nutrients
- Reduced conditions associated with methane generation
- Conversion of livestock waste into beneficial compost
- Improved operational documentation and environmental oversight

HWC believes these characteristics may create opportunities within verified environmental and carbon markets.

However, carbon-credit qualification is methodology-specific and must be supported by baseline analysis, monitoring, third-party verification, and applicable market standards.

For that reason, HWC does not presently treat carbon-credit revenue as a guaranteed component of customer economics.

Instead, the company intends to quantify emissions performance during field validation and work with qualified verification partners to determine the extent to which documented reductions may qualify for recognized environmental or carbon-credit programs.

Where verified credits become available, they could potentially:

- Offset a portion of system cost
- Support ongoing operating expenses
- Improve customer economics
- Provide additional recurring value
- Support aggregated environmental programs across multiple installations

The important point is that HWC's commercial rationale does not depend upon carbon credits.

Environmental-market value would represent an additional potential benefit arising from the underlying structural change in waste management.

A STRUCTURAL REPLACEMENT, NOT AN INCREMENTAL FIX

Many technologies in livestock waste management are designed to improve some aspect of an existing lagoon system.

HWC begins with a different premise.

Rather than adding equipment to a lagoon, covering it, treating its contents, separating material before storage, or attempting to reduce selected consequences of anaerobic storage, HWC is designed to

remove dependence on the lagoon within the HWC waste-management process.

That distinction defines the company's approach.

The objective is to replace prolonged open storage with controlled processing infrastructure.

This places HWC in a different category from technologies that depend upon the continued existence of the lagoon.

COMPETITIVE POSITION AND DIFFERENTIATION

Livestock waste management includes numerous established and emerging technologies, each addressing different parts of the problem.

Anaerobic digesters can recover energy from manure, but typically produce digestate that still requires additional management, storage, processing, or land application.

Lagoon covers and gas-capture technologies can reduce or recover emissions while retaining the underlying storage structure.

Solid-liquid separation systems can reduce solids loading but generally leave a substantial liquid waste stream requiring further management.

Traditional windrow and bunker composting are effective for many solid organic materials but are not designed to directly accept the high-liquid waste streams targeted by HWC.

Thermal and other advanced treatment systems may offer advantages for specific applications but can involve substantial energy requirements or preprocessing.

HWC's differentiation lies in the combination of capabilities being engineered into a single infrastructure platform:

- Designed for direct intake of high-liquid manure and effluent
- Controlled aerobic, thermophilic biological processing
- Mechanical mixing within the reactor system
- Planned integrated mortality-processing capability, subject to engineering validation
- Designed to eliminate conventional manure lagoons from the HWC process
- Designed to produce humus-rich compost
- Designed to avoid a separate compost-finishing stage within the HWC process
- Modern PLC-based monitoring and controls
- Modular commercial-scale infrastructure
- Potential application across multiple livestock sectors

HWC does not need to claim that no other waste-management technology exists.

The commercial opportunity lies in providing a combination of capabilities intended to address the livestock waste stream in a fundamentally different way.

INFRASTRUCTURE BUILT FOR THE LONG TERM

HWC systems are being designed as permanent agricultural infrastructure.

That means commercial engineering must address far more than biological performance.

The systems must be:

- Durable

- Serviceable
- Maintainable
- Operable by trained personnel
- Monitorable
- Manufacturable
- Scalable
- Compatible with agricultural environments
- Supported over a long operating life

These requirements are central to the current engineering program.

For livestock producers, long-term infrastructure must deliver predictable operation and dependable support.

For regulators and communities, it must provide measurable and durable environmental performance.

For HWC and its strategic partners, it must be capable of repeatable manufacturing and deployment at meaningful scale.

HWC's commercialization strategy is being built around all three requirements.

FROM NEBRASKA TO NATIONAL AND INTERNATIONAL DEPLOYMENT

HWC intends to establish its manufacturing, engineering, training, and operational foundation in Nebraska and expand outward from that base as commercialization develops.

Initial commercial focus is expected to be on livestock markets where lagoon-based manure management remains common and where the operational or environmental burden associated with long-term storage creates a compelling case for alternatives.

Primary livestock sectors include:

- Hog production
- Dairy operations
- Cattle and feedlot operations
- Poultry applications where appropriate

Over time, the underlying platform may also support selected municipal, institutional, military, remote-site, and other high-volume organic-waste applications, subject to appropriate engineering, validation, and regulatory requirements.

International markets may represent a significant longer-term opportunity wherever livestock expansion, water protection, odor concerns, land constraints, or environmental regulation are creating pressure to move beyond conventional waste-storage practices.

HWC's ambition is not simply to sell individual composting units.

It is to establish a scalable livestock waste-infrastructure platform capable of supporting producers across multiple sectors and geographic markets.

THE OPPORTUNITY AHEAD

Modern livestock agriculture produces enormous quantities of organic waste because it produces enormous quantities of food.

That waste will not disappear.

The question is how it will be managed.

For generations, much of the industry has depended upon storage as the practical answer to high-liquid manure.

Hamilton-White Composting Technologies believes the next step is to move from storage to processing.

HWC is bringing together more than three decades of technological history, modern engineering, agricultural experience, automation, intellectual-property development, and a disciplined commercialization strategy to pursue that objective.

The immediate task is clear:

Complete the engineering, build the modern demonstration system, operate it under real-world livestock conditions, independently document performance where appropriate, and move toward initial commercial deployment.

From there, the opportunity is substantially larger.

If successfully commercialized at scale, HWC has the potential to help establish a new category of livestock waste-management infrastructure—one in which manure is no longer accumulated primarily as a long-term liability, but is processed as part of normal agricultural operations and converted into a useful resource.

That is the vision behind Hamilton-White Composting Technologies.

IMPORTANT NOTICE

Information presented on this website is provided for general informational purposes and describes HWC's technology, development objectives, historical work, and long-term commercial vision.

Certain systems, features, applications, and performance objectives discussed remain under development and are subject to professional engineering, testing, regulatory review, and commercial validation.

Statements concerning future development, commercialization, environmental performance, market opportunities, and other anticipated results are forward-looking and may differ materially from actual outcomes.

Nothing on this website constitutes an offer to sell, or a solicitation of an offer to purchase, any security.